Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16	(("6520004") or ("5051594") or ("4157818") or ("3201980") or ("5343748") or ("2573286")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 10:56
S4 .	2	("5616857").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 11:25
S6	48479	frame S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:26
S7	17643	(bias or pretension or tensioned or biased) S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:35
S9	469	S7 ((center or middle) near sprin\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:36
S10	66	(oil or lubricant) S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:37
S11	18983	(leaf adj spring) with (biased or biasing or pretensioned or pretension or tension or tensed or tensile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:39

		LAST Scare				•
S14	343	S11 (damping or damped) frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:40
S12	23	S11 S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND .	ON	2007/02/21 11:40
S15	49	("2564519" "2713259" "3044354" "3785198" "3835338" "3870416" "4310915" "4343993" "4384230" "4623947" "4686440" "4721354" "4848141" "4856326" "4926689" "4984453" "5150616" "5344551" "5359879" "5517860" "5546797" "5661235" "5866807" "5994010" "6000284").PN. OR ("2573286" "3201980" "4157818" "5051594" "5343748" "6520004").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/21 11:43
S16	30	("2869418" "3044354" "3525140" "3801090" "3849857" "3870416" "3990153" "4077722" "4157818" "4520570" "4635887" "4668865").PN. OR ("4635887" "4925139").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/21 12:03
S17	2	("20060243079").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 12:14
S18	18	("3044354" "3870416" "3990153" "4157818" "4520570").PN. OR ("4635887"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/21 12:18

S5	140084	(leaf adj spring)	US-PGPUB; USPAT;	AND	ON	2007/02/21 12:29
			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S20	140502	(leaf adj spring) or (flexure adj (strip or strips))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:30
S25	643	S22 S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:31
S23	2212315	(oil or lubricant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:31
S22	6308	S21 S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:31
S21	38538	(frame or housing or holder or support) with S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:31
S26	84	S25 (damping or damped)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:32

S13	800	S11 (damping or damped)	US-PGPUB;	AND	ON	2007/02/21 12:32
			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S8	26	LVDT S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 15:08
S28	88	("2564519" "2713259" "2869418" "3044354" "3525140" "3785198" "3801090" "3835338" "3849857" "3870416" "3990153" "4077722" "4157818" "4310915" "4343993" "4384230" "4520570" "4559717" "4575942" "4623947" "4635887" "4667415" "468865" "4686440" "4688908" "4721354" "4841191" "4848141" "4856326" "4908519" "4920660" "4925139" "4926689" "4984453" "5005298" "5051594" "5051646" "5150616" "5344551" "5359879" "5517860" "5546797" "5661235" "5866807" "5994010" "6000284").PN. OR ("2573286" "3201980" "4157818" "4635887" "4925139" "5051594" "5343748" "5360974" "6520004").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/21 15:14
S29.	20	("3563186" "3870416" "4336657" "4559717" "4565094").PN. OR ("4688908"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/21 15:18

S2	477	(73/849).CCLS.	US-PGPUB;	OR	OFF	2007/03/02 11:32
	,,,		USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
L5	2	L4 (oil or lubricant) piston damp\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:33
L4	477	(73/849).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 11:33
L9	538	8 (oil or lubricant) piston damp\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:34
L8	229487	("73").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 11:34
L7	0	"73".ccls. (oil or lubricant) piston damp\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:34
L6	0	"73".ccls.(oil or lubricant) piston damp\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		ON	2007/03/02 11:34

				·		
L10	172	8 (oil or lubricant) piston damp\$3 opti\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:40
L11	36	8 (dashpot or (oil adj pan) or lubricant) (piston near3 damp\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:42
L12	1	8 (((table or plate) near piston) with oil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:43
L13	14	8 (((table or plate) near piston) same oil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:44
L14	8	8 (piston with (oil near pan)) (dam\$4 or vibra\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:45
L18	30	15 "test table" piston	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:49
L17	83	15 "test table"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		ON	2007/03/02 11:49

		LAST Scare				
L16	8993	15 oil	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:49
L15	50069	8 (dam\$4 or vibra\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:20
L19	31035	(below or underneith or bottom) 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:21
L21	126669	((oil or lubricant or grease or viscous) near2 (bath or pan or pool or reservoir)) or dashpot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:27
L20	125382	((oil or lubricant or grease) near2 (bath or pan or pool or reservoir)) or dashpot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:27
L22	734	21 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2007/03/02 13:40
L23	160	21 "test table"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		ON	2007/03/02 13:42

			·			
L25	6430	21 piston (damp\$3 or vibrat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:43
L24	26907	21 piston	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:43
L26	3906	(bench or table or plate) 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:44
L27	213	(indenter or scratch or hardness) 26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:45
S27	27	LVDT (AFM or SPM) (table or platform or holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 14:31
L29	889	piston 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 14:31
L28	1619	dashpot same damping	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 14:31

					<u> </u>	
L31	16	("1837817" "3789873" "3842924" "3876017" "3982738" "3985190" "3991841" "4009604" "4201081" "4428444" "4440250" "4479561" "4848495").PN. OR ("5232062"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/03/02 14:55
L32	549	vertical with (sample near holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 15:22
L30	436	vertical 29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 15:22
L34	102745	(lateral or linear) (positioning or adjusting or measuring) table optical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 16:58
L33	18	vertical with (sample near holder) (scratch or indenter or hardness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 16:58
L37	285	((lateral or linear) near2 (positioning or adjusting or measuring)) LVDT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 16:59
L36	2166	((lateral or linear) near2 (positioning or adjusting or measuring)) table optical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		ON	2007/03/02 16:59

L38	45	37 36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 18:44
L39	42	csiro.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 18:51
L42	21	("3077771" "4159640" "4621523").PN. OR ("5067346"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/03/02 18:59
L41		("5067346").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 18:59
L40	57	micro indenter.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 18:59

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("asmec.as.").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/03 15:33
L2		asmec.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/03 15:33
L3	38238	(chudoba schwarzer hermann).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 15:34
L4	14	(chudoba-thomas schwarzer-norbert hermann-ilja). in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 15:34